



033901.FS.001.01_EN



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: FIORA XX*

*XX Identifies color

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Product for varnishing different type of materials. For industrial use only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

FIORA BATH COLLECTIONS S.L.U. Ctra. De Logroño Km. 23.600) 26300 Nájera – La Rioja - Spain Phone: +34 941 41 00 01 Fax: +34 941 41 01 06 fiora@fiora.es www.fiora.es from the safety data sheet made by ES-B01006766

1.4 Emergency telephone number: +34 941 41 00 01

1.5 Manufactured for FIORA BATH COLLECTIONS SLU by: ES-B01006766

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225 Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

CLP Regulation (EC) nº 1272/2008:

Danger



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Skin Irrit. 2: H315 - Causes skin irritation STOT SE 3: H336 - May cause drowsiness or dizziness

Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P280: Wear protective gloves/protective clothing/eye protection/face protection P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking EUH208: Contains 3-iodo-2-propynyl Butylcarbamate, Amide wax. May produce an allergic reaction Substances that contribute to the classification

Butyl Acetate; Ethyl Acetate

2.3 Other hazards:

Non-applicable





033901.FS.001.01_EN



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of additives, aggregates, pigments and resins in solvents

Components:

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification	Concentratio		
CAS: 123-86-4	Butyl Acetate	ATP CLP00			
EC:204-658-1 ndex: 607-025-00-1 REACH: 01-2119485493-29-XXXX	Regulation 1272/2008	Flam. Liq. 3: H226; STOT SE 3: H336; EUH066 - Warning	25 - <50 %		
CAS: 141-78-6Ethyl	Acetate	ATP CLP00			
EC:205-500-4 Index: 607-022-00-5 REACH: 01-2119475103-46-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger	2,5 - <10 %		
CAS: 1330-20-7	Xylene (mixture of isomer	s) ATP CLP00			
EC:215-535-7 Index: 601-022-00-9 REACH: 01-2119488216-32-XXXX	Regulation 1272/2008	Acute Tox. 4: H312+H332; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Warning	2,5 - <10 %		
CAS: 1330-20-7	Xylene (mixture of isomer	s) Self-classified			
EC:215-535-7 Index: 601-022-00-9 REACH: 01-2119488216-32-XXXX	Regulation 1272/2008	Acute Tox. 4: H312+H332; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Irrit. 2: H315; STOT RE 2: H373; STOT SE 3: H335 – Danger	2,5 - <10 %		
CAS: 108-10-1	4-methylpentan-2-oneATF	P CLP00			
EC:203-550-1 Index: 606-004-00-4 REACH: 01-2119473980-30-XXXX	Regulation 1272/2008 Acute Tox. 4: H332; Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H335; EUH066 - Danger		2,5 - <10 %		
CAS: 100-41-4	Ethylbenzene ATP ATP06				
EC:202-849-4 Index: 601-023-00-4 REACH: 01-2119489370-35-XXXX	Regulation 1272/2008	Acute Tox. 4: H332; Asp. Tox. 1: H304; Flam. Liq. 2: H225; STOT RE 2: H373 - Danger	2,5 - <10 %		
CAS: 108-65-6	2-methoxy-1-methylethyl acetate ATP ATP01				
EC:203-603-9 ndex: 607-195-00-7 REACH: 01-2119475791-29-XXXX	Regulation 1272/2008	Flam. Liq. 3: H226 - Warning	2,5 - <10 %		
CAS: Non-applicable	Amide wax	Self-classified			
EC:434-430-9 Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Aquatic Chronic 4: H413; Skin Sens. 1: H317 - Warning	<1 %		
CAS: 55406-53-6	3-iodo-2-propynyl Butylcarbamate ATP ATP06				
EC:259-627-5 Index: 616-212-00-7 REACH: Non-applicable	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Sens. 1: H317; STOT RE 1: H372 - Danger	<1 %		
CAS: 872-50-4	N-methyl-2-pyrrolidone ATP ATP09				
EC:212-828-1 Index: 606-021-00-7 REACH: 01-2119472430-46-XXXX Eye Irrit. 2: H319		Eye Irrit. 2: H319; Repr. 1B: H360D; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	<1 %		
CAS: 7664-38-2Phosphoric Acid		ATP CLP00			
EC:231-633-2 Index: 015-011-00-6	Regulation 1272/2008	Skin Corr. 1B: H314 - Danger	<1 %		
REACH: 01-2119485924-24-XXXX		Ť			

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.


Other information:

Identif	M-factor
3-iodo-2-propynyl Butylcarbamate	Acute 10
CAS: 55406-53-6 EC: 259-627-5	Chronic 1
Identification	Specific concentration limit
N-methyl-2-pyrrolidone CAS: 872-50-4 EC: 212-828-1	% (w/w) >=10: STOT SE 3 - H335
Phosphoric Acid CAS: 7664-38-2 EC: 231-633-2	% (w/w) >=25: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es









SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance. By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection. By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product. By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2). IT IS RECOMMENDED NOT to use tap water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inertization agent. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground. Environmental precautions:

6.2

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es









SECTION 6: ACCIDENTAL RELEASE MEASURES

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems usefind in Directive 94/9/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment

Identification		Environmental limits			
Xylene (mixture of isomers)	IOELV (8h)	50 ppm	221 mg/m ³		
CAS: 1330-20-7	IOELV (STEL)	100 ppm	442 mg/m ³		
EC: 215-535-7	Year	2015			
Xylene (mixture of isomers)	I <mark>OELV (8h)</mark>	50 ppm	221 mg/m ³		
CAS: 1330-20-7	IOELV (STEL)	100 ppm	442 mg/m ³		
EC: 215-535-7	Year	2015			
4-methylpentan-2-one	IOELV (8h)	20 ppm	83 mg/m ³		
CAS: 108-10-1	IOELV (STEL)	50 ppm	208 mg/m ³		
EC: 203-550-1	Year	2015			
Ethylbenzene	IOELV (8h)	100 ppm	442 mg/m ³		
CAS: 100-41-4	IOELV (STEL)	200 ppm	884 mg/m ³		
EC: 202-849-4	Year	2015			

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es









SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

EC: 202-849-4	Identification	Year	Environmental lim	its2015
2-methoxy-1-methylethyl acetate		IOELV (8h)	50 ppm	275 mg/m ³
AS: 108-65-6 C: 203-603-9		IOELV (STEL)	100 ppm	550 mg/m ³
		Year	2015	
N-methyl-2-pyrrolidone		IOELV (8h)	10 ppm	40 mg/m ³
CAS: 872-50-4		IOELV (STEL)	20 ppm	80 mg/m ³
EC: 212-828-1		Year	2015	
Phosphoric Acid		IOELV (8h)		1 mg/m ³
CAS: 7664-38-2		IOELV (STEL)		2 mg/m ³
C: 231-633-2		Year	2015	

DNEL (Workers):

		Short	exposure	Long	Long exposure	
Identification		Systemic	Local	Systemic	Local	
Butyl Acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 123-86-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 204-658-1	Inhalation	960 mg/m ³	960 mg/m ³	480 mg/m ³	480 mg/m ³	
Ethyl Acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 141-78-6	Dermal	Non-applicable	Non-applicable	63 mg/kg	Non-applicable	
EC: 205-500-4	Inhalation	1468 mg/m ³	1468 mg/m ³	734 mg/m ³	734 mg/m ³	
(ylene (mixture of isomers)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	180 mg/kg	Non-applicable	
EC: 215-535-7	Inhalation	289 mg/m ³	289 mg/m ³	77 mg/m³	Non-applicable	
Kylene (mixture of isomers)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	180 mg/kg	Non-applicable	
EC: 215-535-7	Inhalation	289 mg/m ³	289 mg/m ³	77 mg/m³	Non-applicable	
l-methylpentan-2-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 108-10-1	Dermal	Non-applicable	Non-applicable	11,8 mg/kg	Non-applicable	
EC: 203-550-1	Inhalation	208 mg/m ³	208 mg/m ³	83 mg/m ³	83 mg/m ³	
Ethylbenzene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 100-41-4	Dermal	Non-applicable	Non-applicable	180 mg/kg	Non-applicable	
EC: 202-849-4	Inhalation	Non-applicable	293 mg/m ³	77 mg/m³	Non-applicable	
2-methoxy-1-methylethyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 108-65-6	Dermal	Non-applicable	Non-applicable	153,5 mg/kg	Non-applicable	
EC: 203-603-9	Inhalation	Non-applicable	Non-applicable	275 mg/m ³	Non-applicable	
N-methyl-2-pyrrolidone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 872-50-4	Dermal	208 mg/kg	Non-applicable	19,8 mg/kg	Non-applicable	
EC: 212-828-1	Inhalation	80 mg/m ³	Non-applicable	40 mg/m ³	Non-applicable	
Phosphoric Acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 7664-38-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 231-633-2	Inhalation	Non-applicable	2 mg/m ³	Non-applicable	1 mg/m ³	

DNEL (General population):

		Short	Short exposure		Long exposure	
Identification	Systemic	Local	Systemic	Local		
Butyl Acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 123-86-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 204-658-1	Inhalation	859,7 mg/m ³	859,7 mg/m ³	102,34 mg/m ³	102,34 mg/m ³	
Ethyl Acetate	Oral	Non-applicable	Non-applicable	4,5 mg/kg	Non-applicable	
CAS: 141-78-6	Dermal	Non-applicable	Non-applicable	37 mg/kg	Non-applicable	
EC: 205-500-4	Inhalation	734 mg/m ³	734 mg/m ³	367 mg/m ³	367 mg/m ³	
Xylene (mixture of isomers)	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable	
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	108 mg/kg	Non-applicable	
EC: 215-535-7	Inhalation	Non-applicable	Non-applicable	14,8 mg/m ³	Non-applicable	

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es





033901.FS.001.01_EN



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Xylene (mixture of isomers)	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	108 mg/kg	Non-applicable
EC: 215-535-7	Inhalation	Non-applicable	Non-applicable	14,8 mg/m ³	Non-applicable
4-methylpentan-2-one	Oral	Non-applicable	Non-applicable	4,2 mg/kg	Non-applicable
CAS: 108-10-1	Dermal	Non-applicable	Non-applicable	4,2 mg/kg	Non-applicable
EC: 203-550-1	Inhalation	Non-applicable	Non-applicable	14,7 mg/m ³	Non-applicable
Ethylbenzene	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable
CAS: 100-41-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 202-849-4	Inhalation	Non-applicable	Non-applicable	15 mg/m ³	Non-applicable
2-methoxy-1-methylethyl acetate	Oral	Non-applicable	Non-applicable	1,67 mg/kg	Non-applicable
CAS: 108-65-6	Dermal	Non-applicable	Non-applicable	54,8 mg/kg	Non-applicable
EC: 203-603-9	Inhalation	Non-applicable	Non-applicable	33 mg/m ³	Non-applicable
N-methyl-2-pyrrolidone	Oral	26 mg/kg	Non-applicable	6,3 mg/kg	Non-applicable
CAS: 872-50-4	Dermal	125 mg/kg	Non-applicable	11,9 mg/kg	Non-applicable
EC: 212-828-1	Inhalation	80 mg/m ³	Non-applicable	12,5 mg/m ³	Non-applicable
Phosphoric Acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-38-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-633-2	Inhalation	Non-applicable	Non-applicable	Non-applicable	0,73 mg/m ³
PNEC:					
Identification					
Butyl Acetate	STP	35,6 mg/L	Fresh water	0	,18 mg/L
CAS: 123-86-4	Soil	0,0903 mg/kg	Marine water	0	,018 mg/L
C: 204-658-1	Intermittent	0,36 mg/L	Sediment (Fresh		,981 mg/kg
	Oral	Non-applicable	Sediment (Marin	e water) 0	,0981 mg/kg
Ethyl Acetate	STP	650 mg/L	Fresh water	0	,24 mg/L
CAS: 141-78-6	Soil	0,148 mg/kg	Marine water	0	,024 mg/L
EC: 205-500-4	Intermittent	1,65 mg/L	Sediment (Fresh	water) 1	,15 mg/kg
	Oral	200 g/kg	Sediment (Marin	e water) 0	,115 mg/kg
Xylene (mixture of isomers)	STP	6,58 mg/L	Fresh water	0	,327 mg/L
CAS: 1330-20-7	Soil	2,31 mg/kg	Marine water	0	,327 mg/L
EC: 215-535-7	Intermittent	0,327 mg/L	<mark>Sediment (Fresh</mark>	water) 1	2,46 mg/kg
	Oral	Non-applicable	<mark>Sediment (Marin</mark>	e water) 1	2,46 mg/kg
Xylene (mixture of isomers)	STP	6,58 mg/L	Fresh water	0	,327 mg/L
CAS: 1330-20-7	Soil	2,31 mg/kg	Marine water	0	,327 mg/L
EC: 215-535-7	Intermittent	0,327 mg/L	Sediment (Fresh	water) 1	2,46 mg/kg
	Oral	Non-applicable	Sediment (Marin	e water) 1	2,46 mg/kg
4-methylpentan-2-one	STP	27,5 mg/L	Fresh water	0	,6 mg/L
CAS: 108-10-1	Soil	1,3 mg/kg	Marine water		,06 mg/L
EC: 203-550-1	Intermittent	1,5 mg/L	Sediment (Fresh		,27 mg/kg
	Oral	Non-applicable	Sediment (Marin		,83 mg/kg
Ethylbenzene	STP	9,6 mg/L	Fresh water		,1 mg/L
CAS: 100-41-4	Soil	2,68 mg/kg	Marine water		,01 mg/L
EC: 202-849-4	Intermittent	0,1 mg/L	Sediment (Fresh		3,7 mg/kg
	Oral	20 g/kg	Sediment (Marin		,37 mg/kg
2 mothows 1 mothylothyl active	STP				
2-methoxy-1-methylethyl acetate CAS: 108-65-6		100 mg/L	Fresh water Marine water		,635 mg/L
	Soil	0,29 mg/kg 6,35 mg/L	Sediment (Fresh		,0635 mg/L ,29 mg/kg
EC: 203-603-9					

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es





033901.FS.001.01_EN



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
N-methyl-2-pyrrolidone	STP	10 mg/L	Fresh water	0,25 mg/L
CAS: 872-50-4	Soil	0,138 mg/kg	Marine water	0,025 mg/L
EC: 212-828-1	Intermittent	5 mg/L	Sediment (Fresh water)	1,42 mg/kg
	Oral	1,67 g/kg	Sediment (Marine water)	0,142 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application

D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face mask	CAT II	EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Bodily protection

Emergency shower

Pictogram		PPE	Labelling		CEN Standard		Remarks
Mandatory complete body protection	protection risks, with	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties		EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2001 EN ISO 6529:2001 EN ISO 6530:2005 EN ISO 6302:005 EN ISO 6302:005 EN ISO 6302:005			professional use only. Clean periodically rding to the manufacturer's instructions.
Mandatory foot protection	protection risk, with a	footwear for against chemical antistatic and heat ant properties		EN	N 13287:2008 ISO 20345:2011 I 13832-1:2006	Re	place boots at any sign of deterioration.
Iditional emergen	cy measu	res					
Emergency mea	sure	S	tandards		Emergency measur	e	Standards
[/ * .*			il Z358-1 864-1:2002		• +		DIN 12 899 ISO 3864-1:2002

Eyewash stations

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es





033901.FS.001.01_EN



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	60,08 % weight					
V.O.C. density at 20 °C:	623,68 kg/m³ (623,68 g/L)					
Average carbon number:	6,17					
Average molecular weight:	108,89 g/mol					
With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:						
V.O.C. density at 20 °C:	615,13 kg/m³ (615,13 g/L)					
EUlimit for the product (Cat. A.F)	: 700 g/L (2010)					
Components: CA2136D - 16	,6667 % v/v					

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties:	
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Not available
	Colour:	Not available
	Odour:	Not available
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	117 °C
	Vapour pressure at 20 °C:	2856 Pa
	Vapour pressure at 50 °C:	11954 Pa (12 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1038 kg/m³
	Relative density at 20 °C:	1,038
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	*Not relevant due to the nature of the product, not providing information pro	perty of its hazards.

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es









SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

	Flammability:	
	Flash Point:	19 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	265 °C
	Lower flammability limit:	Not available
	Upper flammability limit:	Not available
9.2	Other information:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing information pro-	operty of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Combustive materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A.- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):









SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, however, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

- Skin: Repeated exposure may cause skin dryness or cracking

H- Aspiration hazard:

Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity	Genus
Butyl Acetate	LD50 oral 12789 mg/kg	Rat
CAS: 123-86-4	LD50 dermal 14112 mg/kg	Rabbit
EC: 204-658-1	LC50 inhalation 23,4 mg/L (4 h)	Rat
Ethyl Acetate	LD50 oral 4100 mg/kg	Rat
CAS: 141-78-6	LD50 dermal 20000 mg/kg	Rabbit
EC: 205-500-4	LC50 inhalation >20 mg/L (4 h)	
2-methoxy-1-methylethyl acetate	LD50 oral 8532 mg/kg	Rat
CAS: 108-65-6	LD50 dermal 5100 mg/kg	Rat
EC: 203-603-9	LC50 inhalation 30 mg/L (4 h)	Rat
4-methylpentan-2-one	LD50 oral 2080 mg/kg	
CAS: 108-10-1	LD50 dermal >2000 mg/kg	
EC: 203-550-1	LC50 inhalation 11 mg/L (4 h) (ATEi)
Xylene (mixture of isomers)	LD50 oral 2100 mg/kg	Rat
CAS: 1330-20-7	LD50 dermal 1100 mg/kg (ATEi)	Rat
EC: 215-535-7	LC50 inhalation 11 mg/L (4 h) (ATEi)
Ethylbenzene	LD50 oral 3500 mg/kg	Rat
CAS: 100-41-4	LD50 dermal 15354 mg/kg	Rabbit
EC: 202-849-4	LC50 inhalation 17,2 mg/L (4 h)	Rat
Xylene (mixture of isomers)	LD50 oral 2100 mg/kg	Rat
CAS: 1330-20-7	LD50 dermal 1100 mg/kg (ATEi)	Rat
EC: 215-535-7	LC50 inhalation 11 mg/L (4 h) (ATEi)
3-iodo-2-propynyl Butylcarbamate	LD50 oral 1100 mg/kg	Rat
CAS: 55406-53-6	LD50 dermal 2100 mg/kg (ATEi)	Rabbit
EC: 259-627-5	LC50 inhalation 3 mg/L (4 h) (ATEi)	





033901.FS.001.01_EN



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

	Identification		Acute toxicity	Genus
Amide wax		LD50 oral	>2000 mg/kg	
CAS: Non-applicable		LD50 dermal	>2000 mg/kg	
EC: 434-430-9		LC50 inhalation	ר >5 mg/L	
N-methyl-2-pyrrolidone		LD50 oral	3598 mg/kg	Rat
CAS: 872-50-4		LD50 dermal	7000 mg/kg	Rat
EC: 212-828-1			ר >20 mg/L	
Phosphoric Acid		LD50 oral	3500 mg/kg	Rat
CAS: 7664-38-2		LD50 dermal	2470 mg/kg	Rabbit
EC: 231-633-2		LC50 inhalation	<mark>ו >5 mg/L</mark>	
Acute Toxicity Estimate (A	ΓE mix):			
	ATE mix		Ingredient(s) of unknow	wn toxicity
Oral	>2000 mg/kg (Calculation method)		Non-applicable	
Dermal	9618,78 mg/kg (Calculation method)		0%	
Inhalation	62,24 mg/L (4 h) (Calculation method)		0%	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Butyl Acetate	LC50	62 mg/L (96 h)	Leuciscus idus	Fish
CAS: 123-86-4	EC50	73 mg/L (24 h)	Daphnia magna	Crustacea
EC: 204-658-1	EC50	675 mg/L (72 h)	Scenedesmus subspicatus	Algae
Ethyl Acetate	LC50	230 mg/L (96 h)	Pimephales promelas	Fish
CAS: 141-78-6	EC50	717 mg/L (48 h)	Daphnia magna	Crustacea
EC: 205-500-4	EC50	3300 mg/L (48 h)	Scenedesmus subspicatus	Algae
Xylene (mixture of isomers)	LC50	13.5 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1330-20-7	EC50	0.6 mg/L (96 h)	Gammarus lacustris	Crustacea
EC: 215-535-7	EC50	10 mg/L (72 h)	Skeletonema costatum	Algae
Xylene (mixture of isomers)	LC50	13.5 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1330-20-7	EC50	0.6 mg/L (96 h)	Gammarus lacustris	Crustacea
EC: 215-535-7	EC50	10 mg/L (72 h)	Skeletonema costatum	Algae
4-methylpentan-2-one	LC50	900 mg/L (48 h)	Leuciscus idus	Fish
CAS: 108-10-1	EC50	862 mg/L (24 h)	Daphnia magna	Crustacea
EC: 203-550-1	EC50	980 mg/L (48 h)	Scenedesmus subspicatus	Algae
Ethylbenzene	LC50	42.3 mg/L (96 h)	Pimephales promelas	Fish
CAS: 100-41-4	EC50	75 mg/L (48 h)	Daphnia magna	Crustacea
EC: 202-849-4	EC50	63 mg/L (3 h)	Chlorella vulgaris	Algae
2-methoxy-1-methylethyl acetate	LC50	161 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-65-6	EC50	481 mg/L (48 h)	Daphnia sp.	Crustacea
EC: 203-603-9	EC50	Non-applicable		
3-iodo-2-propynyl Butylcarbamate	LC50	0.07 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 55406-53-6	EC50	0.09 mg/L (96 h)	Mysidopsis bahia	Crustacea
EC: 259-627-5	EC50	0.05 mg/L (72 h)	Scenedesmus subspicatus	Algae
N-methyl-2-pyrrolidone	LC50	832 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 872-50-4	EC50	4897 mg/L (48 h)	Daphnia magna	Crustacea
EC: 212-828-1	EC50	500 mg/L (72 h)	Scenedesmus subspicatus	Algae
Phosphoric Acid	LC50	Non-applicable		
CAS: 7664-38-2	EC50	4.6 mg/L (12 h)	Daphnia magna	Crustacea
EC: 231-633-2	EC50	Non-applicable		

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es





033901.FS.001.01_EN



SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	De	egradability	Biod	egradability
Butyl Acetate	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 123-86-4	COD	Non-applicable	Period	5 days
EC: 204-658-1	BOD5/COD	0.79	% Biodegradable	84 %
Ethyl Acetate	BOD5	1.36 g O2/g	Concentration	100 mg/L
CAS: 141-78-6	COD	1.69 g O2/g	Period	14 days
EC: 205-500-4	BOD5/COD	0.81	% Biodegradable	83 %
4-methylpentan-2-one	BOD5	2.06 g O2/g	Concentration	100 mg/L
CAS: 108-10-1	COD	2.16 g O2/g	Period	14 days
EC: 203-550-1	BOD5/COD	0.95	% Biodegradable	84 %
Ethylbenzene	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 100-41-4	COD	Non-applicable	Period	14 days
EC: 202-849-4	BOD5/COD	Non-applicable	% Biodegradable	90 %
2-methoxy-1-methylethyl acetate	BOD5	Non-applicable	Concentration	785 mg/L
CAS: 108-65-6	COD	Non-applicable	Period	8 days
EC: 203-603-9	BOD5/COD	Non-applicable	% Biodegradable	100 %
N-methyl-2-pyrrolidone	BOD5	1.09 g O2/g	Concentration	100 mg/L
CAS: 872-50-4	COD	1.6 g O2/g	Period	28 days
EC: 212-828-1	BOD5/COD	0.68	% Biodegradable	73 %

12.3 Bioaccumulative potential:

Identification	Bio	oaccumulation potential
Butyl Acetate	BCF	4
CAS: 123-86-4	Pow Log	1.78
EC: 204-658-1	Potential	Low
Ethyl Acetate	BCF	30
CAS: 141-78-6	Pow Log	0.73
EC: 205-500-4	Potential	Moderate
Xylene (mixture of isomers)	BCF	9
CAS: 1330-20-7	Pow Log	2.77
EC: 215-535-7	Potential	Low
Xylene (mixture of isomers)	BCF	9
CAS: 1330-20-7	Pow Log	2.77
EC: 215-535-7	Potential	Low
4-methylpentan-2-one	BCF	2
CAS: 108-10-1	Pow Log	1.31
EC: 203-550-1	Potential	Low
Ethylbenzene	BCF	1
CAS: 100-41-4	Pow Log	3.15
EC: 202-849-4	Potential	Low
2-methoxy-1-methylethyl acetate	BCF	1
CAS: 108-65-6	Pow Log	0.43
EC: 203-603-9	Potential	Low
3-iodo-2-propynyl Butylcarbamate	BCF	36
CAS: 55406-53-6	Pow Log	2.4
EC: 259-627-5	Potential	Moderate
N-methyl-2-pyrrolidone	BCF	0.23
CAS: 872-50-4	Pow Log	-0.46
EC: 212-828-1	Potential	Low

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volati	lity
Butyl Acetate	Koc	Non-applicable	Henry	Non-applicable
CAS: 123-86-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-658-1	Surface tension	2,478E-2 N/m (25 °C)	Moist soil	Non-applicable

© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es









SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorp	otion/desorption		Volatility
Ethyl Acetate	Кос	59	Henry	13,58 Pa·m³/mol
CAS: 141-78-6	Conclusion	Very High	Dry soil	Yes
EC: 205-500-4	Surface tension	2,324E-2 N/m (25 °C)	Moist soil	Yes
Xylene (mixture of isomers)	Кос	202	Henry	524,86 Pa⋅m³/mol
CAS: 1330-20-7	Conclusion	Moderate	Dry soil	Yes
EC: 215-535-7	Surface tension	Non-applicable	Moist soil	Yes
4-methylpentan-2-one	Кос	Non-applicable	Henry	Non-applicable
CAS: 108-10-1	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-550-1	Surface tension	2,35E-2 N/m (25 °C)	Moist soil	Non-applicable
Ethylbenzene	Koc	520	Henry	798,44 Pa·m³/mol
CAS: 100-41-4	Conclusion	Moderate	Dry soil	Yes
EC: 202-849-4	Surface tension	2,859E-2 N/m (25 °C)	Moist soil	Yes
N-methyl-2-pyrrolidone	Кос	Non-applicable	Henry	Non-applicable
CAS: 872-50-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 212-828-1	Surface tension	4,007E-2 N/m (25 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	Waste paint and varnish containing organic solvents or other dangerous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP4 Irritant — skin irritation and eye damage, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) nº1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2015 and RID 2015:









SECTION 14: TRANSPORT INFORMATION (continued)

	 14.1 UN number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): Labels: 14.4 Packing group: 14.5 Dangerous for the environment: 14.6 Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: 	UN1263 PAINT 3 3 II No 163, 367, 640D, 650 D/E see section 9 5L Non-applicable
Transport of dangerous g With regard to IMDG 38-16:	-	
	14.1 UN number: 14.2 UN proper shipping name:	UN1263 PAINT 3 3 II No 163 F-E, S-E see section 9 5L Non-applicable
Transport of dangerous go With regard to IATA/ICAO 2	-	
	 14.1 UN number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): Labels: 14.4 Packing group: 14.5 Dangerous for the environment: 14.6 Special precautions for user Physico-Chemical properties: 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: 	UN1263 PAINT 3 3 II No see section 9 Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Ethanol, 3iodo-2-propynyl Butylcarbamate. Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): N-methyl-2-pyrrolidone

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable


© FIORA BATH COLLECTIONS S.L.U.- Ctra Logroño km 23.600 - 26300 Nájera (La Rioja) Spain - W. www.fiora.es - T. +34 941 41 00 01 - E. fiora@fiora.es



SAFETY DATA SHEET

According to 1907/2006/EC (REACH), 2015/830/EU





*XX Identifies color

SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 3-iodo-2-propynyl Butylcarbamate (Product-type 6, 7, 8, 9, 10, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH,

etc): Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,

- "whoopee" cushions,

- silly string aerosols,

imitation excrement,

- horns for parties,

- decorative flakes and foams,

— artificial cobwebs,

— stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'

Shall not be used in:

----ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EC) N° 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks: CLP Regulation (EC) nº 1272/2008 (SECTION 2, SECTION 16):

· Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H336: May cause drowsiness or dizziness

H315: Causes skin irritation

H225: Highly flammable liquid and vapour


H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 **CLP Regulation (EC) nº 1272/2008:**









SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 3: H331 - Toxic if inhaled Acute Tox. 4: H302 - Harmful if swallowed Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled Acute Tox. 4: H332 - Harmful if inhaled Aquatic Acute 1: H400 - Very toxic to aquatic life Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways Eye Dam. 1: H318 - Causes serious eye damage Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Flam. Liq. 3: H226 - Flammable liquid and vapour Repr. 1B: H360D - May damage the unborn child. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1: H317 - May cause an allergic skin reaction STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral) STOT SE 3: H335 - May cause respiratory irritation STOT SE 3: H336 - May cause drowsiness or dizziness Classification procedure: STOT SE 3: Calculation method Skin Irrit. 2: Calculation method Flam. Liq. 2: Calculation method (2.6.4.3) Eye Irrit. 2: Calculation method Advice related to training: Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://esis.jrc.ec.europa.eu http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.